

Teepol Products, Murray Road, Orpington Kent BR5 3QY T: 01689 877020 F: 01689 877027 E: sales@teepol.co.uk

SAFETY DATA SHEET

 Revision date:
 23/02/2017

 Print date:
 23/02/2017

Version no 2

SECTION 1: IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifiers

Trade Name	Description	Unit	Code
Teepol	Car Shampoo	4 x 5L	0130
Teepol	Car Shampoo	20 L Drum	0131

1.2 Relevant identified uses of the substance/mixture and uses advised against

Car shampoo contains a blend of powerful active ingredients to carefully lift dirt and grime without harm to polished paintwork and trim. pH neutral. The special formula guarantees a professional finish on your car, truck, caravan, motorbike and boats. Careful regular washing with Teepol Shampoo will help keep the finish and appearance of your vehicle. Very cost effective with up to 50 washes per litre.

1.3 Details of the supplier of the safety data sheet

Company Address	Teepol Products, Harvey Waddington,	Telephone	01689 877020
	Murray Road, Orpington,	Fax	01689 877027
	Kent BR5 3QY	E-Mail	sales@teepol.co.uk

1.4 Emergency telephone number +44 (0)1689 877020 (09:00 - 16:00 Monday to Friday)

SECTION 2: HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP Eye. Irrit. 2, H319

2.2 Label elements

Signal Word: Ha

Hazard Pictograms:

Hazard Statements:



H319 Causes serious eye irritation.

Precautionary Statements:

Disposal

P501 Dispose of contents/container to licensed waste disposal site.

Prevention

P264 Wash ... thoroughly after handling.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

<u>Storage</u>

P102 Keep out of reach of children.

2.3 Other hazards

EUH none None known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Substance Name	REACH Reg. No.	CAS-No	EC-No.	Amount [%]
Sodium Dodecylbenzene Sulphonate	01-2119565112-48-XXXX	25155-30-0	246-680-4	5-15
Hazard Class	Hazard Category	Hazard Staten	nents	
Skin corrosion/irritation	Skin. Irrit. 2	H315 Skin co	rrosion/irritation	
Serious eye damage/irritation	Eye. Dam. 1	H318 Serious	eye damage/irritatior	ı
Substance Name	REACH Reg. No.	<u>CAS-No</u>	EC-No.	Amount [%]
Sodium C12-C15 Alcohol Ether Sulphate		13150-00-0	236-091-0	<5
Hazard Class	Hazard Category	Hazard Staten	nents	
Skin corrosion/irritation	Skin. Irrit. 2	H315 Skin co	rrosion/irritation	
Serious eye damage/irritation	Eye. Dam. 1	H318 Serious	eye damage/irritatior	1

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General Advice

Remove contaminated clothing.

After inhalation

Ensure supply of fresh air

After contact with skin Rinse off with water

After contact with eyes

After contact with eyes

Rinse eyes with water until irritation subsides.

After ingestion:

If small amount wash out mouth with water and drink clean water. If amount is large give plenty of water to drink, do not induce vomiting and seek medical advise.

4.2 Most important symptoms and effects, both acute and delayed

Eye irritation and reddening

4.3 Indication of any immediate medical attention and special treatment needed

```
Rinse with clean water
```

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media: This product is not flammable. Use fire extinguishing media appropriate for surrounding area.

5.1 Unsuitable extinguishing media: Not applicable.

5.2 Special hazards arising from the substance or mixture

May produce oxides of carbon, nitrogen, sodium and sulphur.

5.3 Advice fo Fire Fighters

Wear self-contained breathing apparatus and protective clothing as appropriate to the associated fire.

SECTION 6: ACCIDENTAL RELEASE MEAS

6.1 Personal precautions, protective equipment and emergency procedures

Use appropriate PPE. Avoid breathing vapours if any and ensure adequate ventilation. Cordon off area to other personnel.

6.2 Environmental precaution

Do not allow to enter surface water drains, soil/subsoil.

6.3 Methods and material for containment and cleaning up

Absorb with sand or binder and dispose of according to local regulations. Small spillages may be flushed to a foul drain.

6.4 Reference to Other Sections: See Section 8 and 13 for more information on exposure and disposal.

SECTION 7: HANDLING and STORAGE

7.1 Precautions for safe handling

Provide good ventilation in working area. Wash hands after use and do not allow to enter surface water drains.

7.2 Conditions for safe storage, including any incompatabilities

Store only in original containers out of reach of children. Storage temperature should be between 5'C and 30'C.

7.3 Specific end use(s)

Use only as directed on the container or label.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control paramenters

Contains no substances with known occupational exposure limits.

8.2 Exposure Controls

Do not eat, drink or smoke whilst working and wash hands after use.

Exposure Controls - Eyes:	Avoid contact with eyes.
Exposure Controls - Skin:	Wear vinyl, latex or nitrile gloves.
Exposure Controls - Respiratory	None required

Exposure Controls - Respiratory None required.

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties		
Appearance / Odour	Odourless bright green liquid. (Method: QP22)	
pH (10% soln.)	7.5 - 8 (Method: QP03)	
Melting/freezing point:	0'C	
Flammable / Flash point	Not Flammable	
Relative density	1.02 g/cm3 @ 20'C (Method: QP07)	
Solubility:	Soluble/dispersible in water	
Viscosity:	60 - 70s Ford 4 @20'C (Method: QP04)	
Oxidising properties:	Not applicable.	
Explosive properties:	Not applicable.	
9.2 Other Information	No information available.	

SECTION 10: STABILITY AND REACTIVITY

Not known to react with other chemicals
No stability concerns
None known
May produce toxic products of combustion when invoved with a fire.
None known
None known

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Substance	Toxicity
Sodium	Acute toxicity
Dodecylbenzene	LD50 Oral - rat - 438 mg/kg

Sulphonate Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Lacrimation. Behavioral:Somnolence (general depressed activity). Diarrhoea Skin corrosion/irritation Skin - rabbit - Skin irritation - 24 h Serious eye damage/eye irritation Eyes - rabbit - Severe eye irritation - 24 h Respiratory or skin sensitization no data available Germ cell mutagenicity no data available Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity no data available Specific target organ toxicity - single exposure Inhalation - May cause respiratory irritation. Specific target organ toxicity - repeated exposure no data available Aspiration hazard no data available Potential health effects Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Ingestion Harmful if swallowed. Skin May be harmful if absorbed through skin. Causes skin irritation. Eyes Causes eye burns. Signs and Symptoms of Exposure To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Additional Information RTECS: DB6825000 Sodium C12-C15 TOXIC DOSE 1 - LD 50 >2000 mg/kg (oral rat) Alcohol Ether INHALATION Sulphate May cause irritation to the respiratory system. INGESTION May cause discomfort if swallowed. SKIN CONTACT Irritating to skin. EYE CONTACT May cause severe irritation to eyes.

No information regarding interactions between the ingredients in this mixture is available, therefore, the information shown above is separately reported for each relevant ingredient used in the mixture even though it may be present below its concentration limit and represent no toxicity in the mixture as a whole.

SECTION 12: ECOLOGICAL INFORMATION

No specific information is available for this mixture, therefore, the following information regarding the relevant substances used in this mixture is provided, even though they may be present below the concentration limit and represent minimal or no toxicity to the environment.

Substance	ECO Toxicity
Sodium Dodecylbenzene Sulphonate	12.1 Toxicity Fish mortality NOEC - Oncorhynchus kisutch -3.1 mg/l - 3d mortality LOEC - Oncorhynchus kisutch - 5.6 mg/l - 3d Toxicity to daphnia and other aquatic invertebrates mortality NOEC - Daphnia - 4 mg/l - 7d 12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential Bioaccumulation Lepomis macrochirus - 28 d -64 μg/l Bioconcentration factor (BCF): 220

Sodium Dodecylbenzene Sulphonate	 12.4 Mobility in soil no data available 12.5 Results of PBT and vPvB assessment no data available 12.6 Other adverse effects Avoid release to the environment. No data available
Sodium C12-C15 Alcohol Ether Sulphate	12.1 Toxicity EC 50, 48 Hrs, DAPHNIA, mg/l 1-10 IC 50, 72 Hrs, ALGAE, mg/l 1-10 12.2 Persistance and degradability: The product is easily biodegradable.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

When disposing of surplus or waste product use suitable PPE etc. ensuring empty containers are rinsed out and disposed of safely. Do not allow product to enter land or surface water drains. Dispose of in accordance with local authority regulations. Do not mix with other waste materials.

SECTION 14: TRANSPORT INFORMATION		
14.1 UN number:	N/A	
14.2 Shipping Name:	Teepol Car Shampoo	
14.3 Transport hazard class	None	
14.4 Packing group:	N/A	
14.5 Environmental Hazards:	None	
14.6 Special precautions for user:		
No information		
14.7 Transport in bulk according to Annex II of Marpol 73/78 and the IBC code:		

No information

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environment regulation/legislation specific to the substance or mixture

EU Legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

Guidance

ECHA Guidance on the application of CLP criteria (Version 4: November 2013) ECHA Guidance on the compilation of safety data sheets (Version 2.1: February 2014)

15.2 Chemical safety assessment

No information

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H318Causes serious eye damage.H315Causes skin irritation.Nato No. 793099 224 5066. ICN Code: 3402 90 90.

Dilute 20-30ml into a bucket of warm water, use a soft sponge in a circular motion. If you drop your sponge ensure it does not contain grit which will otherwise scratch the paintwork. Work from the top of the vehicle downwards, completing one side at a time and leaving the wheels until last. If possible, finally rinse the whole vehicle with a running clean water. Finially leather off for that professional finish.

Further Information: The latest version of this data sheet may be obtained from the Harvey Waddington Web Site at: www.teepol.co.uk

GLOSSARY: PPE Personal protective equipment. N/A Not applicable. N/K Not known OES Occupational exposure limit TWA Time weighted average W/V Weight to volume

The data contained in this Safety Data Sheet has been supplied for the purpose of protecting the health and safety of industrial and commercial users who are deemed capable of understanding and acting on the information provided.

ANIMAL TESTING: Teepol Products (UK) do not test their finished products on animals.

The information contained in this document is based on information believed to be correct on the date of issue. No warranty or representation, expressed or implied, is made as to the accuracy or completeness of this information. The user assumes all liability for any damage or injury resulting from abnormal use, from the failure to adhere to recommended practises, or from hazards inherent in the nature of the product. In accordance with our policy of incorporating technical improvemets, we reserve the right to amend any specification without notice.