

Teepol Products, Murray Road, Orpington Kent BR5 3QY T: 01689 877020 F: 01689 877027 E: sales@teepol.co.uk

SAFETY DATA SHEET

 Revision date:
 08/03/2017

 Print date:
 08/03/2017

Version no 2

SECTION 1: IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifiers

Trade Name	Description	Unit	Code
Teepol	Gold Concentrated Detergent	500ml	0556S
Teepol	Gold Concentrated Detergent	4 x 5L	0013
Teepol	Gold Concentrated Detergent	6 x 1L Squirt	0014
Teepol	Gold Concentrated Detergent	12 x 500ml	0556
Teepol	Gold Concentrated Detergent	200 L Drum	0876

1.2 Relevant identified uses of the substance/mixture and uses advised against

Uses:

Richer, milder super concentrated detergent for washing up and general cleaning.

1.3 Details of the supplier of the safety data sheet

Company	Teepol Products,		
Address	Harvey Waddington,	Telephone	01689 877020
	Murray Road, Orpington.	Fax	01689 877027
	Kent BR5 3QY	E-Mail	sales@teepol.co.uk

1.4 Emergency telephone number +44 (0)1689 877020 (09:00 - 16:00 Monday to Friday)

SECTION 2: HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP Eye. Irrit. 2, H319

Skin. Irrit. 2, H315

2.2 Label elements

Signal Word: WARNING

Hazard Pictograms:

Hazard Statements:



H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary Statements:

Disposal

P501 Dispose of contents/container to licensed waste disposal site.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

<u>Storage</u>

P102 Keep out of reach of children.

2.3 Other hazards

EUH none None known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Substance Name	REACH Reg. No.	CAS-No	EC-No.	Amount [%]
Sodium Dodecylbenzene Sulphonate	25155-30-0	246-680-4	15-30	
Hazard Class	Hazard Category	Hazard Stater	nents	
Skin corrosion/irritation	Skin. Irrit. 2	H315 Skin co	rrosion/irritation	
Serious eye damage/irritation	Eye. Dam. 1	H318 Serious	eye damage/irritatior	ı
Substance Name	REACH Reg. No.	CAS-No	EC-No.	Amount [%]
Sodium C12-C15 Alcohol Ether Sulphate		13150-00-0	236-091-0	5-15
Hazard Class	Hazard Category	Hazard Stater	nents	
Skin corrosion/irritation	Skin. Irrit. 2	H315 Skin co	H315 Skin corrosion/irritation	
Serious eye damage/irritation	Eye. Dam. 1	H318 Serious	eye damage/irritatior	ı

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General Advice Remove contaminated clothing.

After inhalation Ensure supply of fresh air

After contact with skin

Rinse off with water

After contact with eyes

Rinse eyes with water until irritation subsides.

After ingestion:

If small amount wash out mouth with water and drink clean water. If amount is large give plenty of water to drink, do not induce vomiting and seek medical advise.

4.2 Most important symptoms and effects, both acute and delayed

Eye irritation and reddening

4.3 Indication of any immediate medical attention and special treatment needed Rinse with clean water SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media: This product is not flammable. Use fire extinguishing media appropriate for surrounding area.

5.1 Unsuitable extinguishing media: Not applicable.

5.2 Special hazards arising from the substance or mixture

May produce oxides of carbon, nitrogen, sodium and sulphur.

5.3 Advice fo Fire Fighters

Wear self-contained breathing apparatus and protective clothing as appropriate to the associated fire.

SECTION 6: ACCIDENTAL RELEASE MEAS

6.1 Personal precautions, protective equipment and emergency procedures

Use appropriate PPE. Avoid breathing vapours if any and ensure adequate ventilation. Cordon off area to other personnel.

6.2 Environmental precaution

Do not allow to enter surface water drains, soil/subsoil.

6.3 Methods and material for containment and cleaning up

Absorb with sand or binder and dispose of according to local regulations. Small spillages may be flushed to a foul drain.

6.4 Reference to Other Sections: See Section 8 and 13 for more information on exposure and disposal.

SECTION 7: HANDLING and STORAGE

7.1 Precautions for safe handling

Provide good ventilation in working area. Wash hands after use and do not allow to enter surface water drains.

7.2 Conditions for safe storage, including any incompatabilities

Store only in original containers out of reach of children. Storage temperature should be between 5'C and 30'C.

7.3 Specific end use(s)

Use only as directed on the container or label.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control paramenters

Contains no substances with known occupational exposure limits.

8.2 Exposure Controls

Do not eat, drink or smoke whilst working and wash hands after use.

Exposure Controls - Eyes: Avoid contact with eyes.

Exposure Controls - Skin: Wear vinyl, latex or nitrile gloves.

Exposure Controls - Respiratory None required.

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance / Odour	Lemon fra	agranced viscous yellow liquid (Method: QP22)
pH (10% soln.)	7.5 - 8 (M	lethod: QP03)
Melting/freezing point:	0'C	
Flammable / Flash point	Not Flam	mable
Relative density	1.04 g/cm	n3 @ 20'C (Method: QP07)
Solubility:	Soluble/d	ispersible in water
Viscosity:	>210s Fo	rd 4 @20'C (Method: QP04)
Oxidising properties:	Not applie	cable.
Explosive properties:	Not applic	cable.
9.2 Other Information	No inform	nation available.
SECTION 10: STABILITY A	ND REACT	<u>TIVITY</u>
10.1 Reactivity:		Not known to react with other chemicals
10.2 Chemical Stability:		No stability concerns
10.3 Hazardous Reactions:		None known
10.6 Hazardous Decomposition Products		May produce toxic products of combustion when invoved with a fire.
10.4 Conditions to Avoid:		None known
10.5 Incompatible Materials:		None known

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Substance Toxicity

Sodium Acute toxicity Dodecylbenzene LD50 Oral - rat - 438 mg/kg Sulphonate Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Lacrimation. Behavioral:Somnolence (general depressed activity). Diarrhoea Skin corrosion/irritation Skin - rabbit - Skin irritation - 24 h Serious eye damage/eye irritation Eyes - rabbit - Severe eye irritation - 24 h Respiratory or skin sensitization no data available Germ cell mutagenicity no data available Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity no data available Specific target organ toxicity - single exposure Inhalation - May cause respiratory irritation. Specific target organ toxicity - repeated exposure no data available Aspiration hazard no data available Potential health effects Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Ingestion Harmful if swallowed. Skin May be harmful if absorbed through skin. Causes skin irritation. Eyes Causes eye burns. Signs and Symptoms of Exposure To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Additional Information RTECS: DB6825000 Sodium C12-C15 TOXIC DOSE 1 - LD 50 >2000 mg/kg (oral rat) Alcohol Ether INHALATION Sulphate May cause irritation to the respiratory system. INGESTION May cause discomfort if swallowed. SKIN CONTACT Irritating to skin. EYE CONTACT

May cause severe irritation to eyes.

No information regarding interactions between the ingredients in this mixture is available, therefore, the information shown above is separately reported for each relevant ingredient used in the mixture even though it may be present below its concentration limit and represent no toxicity in the mixture as a whole.

SECTION 12: ECOLOGICAL INFORMATION

No specific information is available for this mixture, therefore, the following information regarding the relevant substances used in this mixture is provided, even though they may be present below the concentration limit and represent minimal or no toxicity to the environment.

Substance	ECO Toxicity
Sodium Dodecylbenzene Sulphonate	12.1 Toxicity Fish mortality NOEC - Oncorhynchus kisutch -3.1 mg/l - 3d mortality LOEC - Oncorhynchus kisutch - 5.6 mg/l - 3d Toxicity to daphnia and other aquatic invertebrates mortality NOEC - Daphnia - 4 mg/l - 7d 12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential

Sodium Dodecylbenzene Sulphonate	Bioaccumulation Lepomis macrochirus - 28 d -64 µg/l Bioconcentration factor (BCF): 220 12.4 Mobility in soil no data available 12.5 Results of PBT and vPvB assessment no data available 12.6 Other adverse effects Avoid release to the environment. No data available
Sodium C12-C15 Alcohol Ether Sulphate	12.1 Toxicity EC 50, 48 Hrs, DAPHNIA, mg/l 1-10 IC 50, 72 Hrs, ALGAE, mg/l 1-10 12.2 Persistance and degradability: The product is easily biodegradable.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

When disposing of surplus or waste product use suitable PPE etc. ensuring empty containers are rinsed out and disposed of safely. Do not allow product to enter land or surface water drains. Dispose of in accordance with local authority regulations. Do not mix with other waste materials.

14.1 UN number:	N/A
14.2 Shipping Name:	Teepol Gold Concentrated Detergent
14.3 Transport hazard class	None
14.4 Packing group:	N/A

14.5 Environmental Hazards: None

14.6 Special precautions for user:

No information

14.7 Transport in bulk according to Annex II of Marpol 73/78 and the IBC code:

No information

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environment regulation/legislation specific to the substance or mixture

EU Legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

Guidance

ECHA Guidance on the application of CLP criteria (Version 4: November 2013) ECHA Guidance on the compilation of safety data sheets (Version 2.1: February 2014)

15.2 Chemical safety assessment

No information

SECTION	16: OTHER INFORMATION
Full text o	f H-Statements referred to under section 3
H318	Causes serious eye damage.
H315	Causes skin irritation.
Nato No. 7930	99 224 5066. ICN Code: 3402 90 90.

Directions: Dishwashing: 8ml in 5l hot water.

Paintwork, Floors and Lavatories: 4ml in 5l warm water.

Baths, basins, tiles and windows: 8ml in 5l warm water.

Woodwork, Linoleum and Vinyl: 8ml in 5l cold water. Aviod overwetting. Rinse and dry.

Cars washing and garage uses: 4ml in 5l tepid water.

Vinyl and leather upholstery: 4ml in 5l warm water.

Further Information: The latest version of this data sheet may be obtained from the Harvey Waddington Web Site at: www.teepol.co.uk

GLOSSARY: PPE Personal protective equipment. N/A Not applicable. N/K Not known OES Occupational exposure limit TWA Time weighted average W/V Weight to volume

The data contained in this Safety Data Sheet has been supplied for the purpose of protecting the health and safety of industrial and commercial users who are deemed capable of understanding and acting on the information provided.

ANIMAL TESTING: Teepol Products (UK) do not test their finished products on animals.

The information contained in this document is based on information believed to be correct on the date of issue. No warranty or representation, expressed or implied, is made as to the accuracy or completeness of this information. The user assumes all liability for any damage or injury resulting from abnormal use, from the failure to adhere to recommended practises, or from hazards inherent in the nature of the product. In accordance with our policy of incorporating technical improvemets, we reserve the right to amend any specification without notice.